

MINISTRY OF HEALTH

COVID 19 Protocols

March 27

Quarantine 2020
Protocols



Contents

Background	
Contact information	
Inter- Hotel Transfer	
Responsibilities of persons in quarantine	(
SCHOOLS AND SHARED ACCOMODATION	8
Mandatory Government designated Areas and Hotels	11
Special considerations for rapid response teams and teams in quarantine	18
Quarantine Reporting Tool For Travellers Needing Medical Attention	19
Referral Protocol	20





Background

On the 22nd of March 2020, the Cabinet secretary of Health issued new directives abolishing self quarantine and instituting mandatory quarantine for all individuals returning to the country. This directive came into effect on the same day and so far over 2000 people are undergoing mandatory quarantine for a duration of 14 days at several government designated facilities. The following protocols guide the management of these individuals during the period of quarantine.

Contact information

Service	Name	Contact		
Ambulance Services	Jackline Obonyo	0724343365		
Rapid response/ Medical response	Jackline Obonyo	0724343365		
Quarantine Sites	Head of Directorates/Divisions			
Port health	Majid Mohammed	0720456297		
PPE	Dr Isaac Kimani	0722761746		
Transport/Fleet	Mr. Osman	0722976438		
Disinfection	Mr. Lagho	0722876860		
Laboratory testing	Mr Mamo	0722968955		
Psychosocial support	Mental Health & Psychosocial support services	1199		
Psychologists	Matilda	0722375248		
	Dorothy	0721511988		
Inter-hotel transfers	Dr. Eva Njenga	0722496305		
Administration services				
NB: All other communications go through the Divisions/head of Directorates				



Hotel Payments

- 1. All persons in mandatory quarantine must pay the cost of accommodation in the premises they are in prior to checking out.
- 2. Hotels are advised to make arrangements for cashless payments.
- 3. In the event the premises or hotels have to take cash, the cashier must use gloves and the person giving the cash must wash hands with soap and water or sanitize with over 70% alcohol based sanitizer

Inter- Hotel Transfer

- 1. The team lead to fill the inter-site transfer form
- 2. Email the request to quarantine@kmpdc.go.ke; q.mwanqi@kmpdc.go.ke
- 3. Copy head of directorate

Inter-site transfer form

Details to be captured for clients wishing to move from one site to another

	Name	Passport Number/ID	Current Centre	Proposed Centre	Accepted at Proposed Centre (Y/N)	Cleared bill at current site	Reasons for moving
1							
2							
3							
4							
5							

Send form by	12 noon f	or movement	within	the day
--------------	------------------	-------------	--------	---------

Requesting site MOH contact Name:	Tel	
10 9 01 00 011 15 0110 1 10 11 00 11 10 11 10 11 10 11		

Send to Gathoni Mwangi g.mwangi@kmpdc.go.ke 0722-80 70 61



Responsibilities of persons in quarantine

Quarantine is done to stop the spread of diseases that are easily transmitted from one person to another. Quarantines are for people or groups who don't have symptoms but were exposed to the sickness. Quarantine keeps them away from others so they don't unknowingly infect anyone.

In line with the Public Health Act, the Cabinet Secretary in the Ministry of Health has instituted Mandatory Quarantine (either self or otherwise) measures for all incoming international passengers who may have come into conduct with persons who may have COVID 19.

Information you need to know when you are in quarantine

Quarantine for COVID-19 is recommended for individuals who have been directly exposed to the virus or who have travelled to areas where there are large numbers of people infected in order to prevent further transmission.

- 1. Stay home except to get medical care.
- 2. As much as possible, you should stay in a specific room and away from other people (even when quarantined at home). Do not go to public areas.
- 3. Use a separate bathroom, if available. Clean bathroom using soap and water and disinfect with bleach solution provided by the quarantine premises.
- 4. If you develop symptoms, put on Facemasks to help prevent the spread of the disease to others.
- 5. Cough or sneeze into the fold of your elbow. Alternatively, cover your mouth and nose with a tissue when you cough or sneeze.



- 6. Wash your hands often with soap and water for at least 20 seconds or clean your hands with an alcohol-based hand sanitizer that contains over 70% alcohol, covering all surfaces of your hands and rubbing them together until they feel dry. Soap and water should be used preferentially if hands are visibly dirty.
- 7. Avoid touching your eyes, nose, and mouth with unwashed hands.
- 8. Clean all "high-touch" surfaces every day.
- 9. It is recommended that people sick with COVID-19 limit contact with animals until more information is known about the virus. When possible, have another member of your household care for your animals.

What to do when you feel sick

- 1. Monitor development of symptoms: Fever, cough, shortness of breath.
- 2. Seek prompt medical attention if you become ill. Call the health care worker at the quarantine site or 719 for care.



SCHOOLS AND SHARED ACCOMODATION

General Information;

In line with the Public Health Act, the Cabinet Secretary in the Ministry of Health has instituted Mandatory Quarantine measures for all incoming international passengers. This document provides the protocols that will be utilised for the management of Quarantine in the Mandatory Government designated Areas

Accommodation

- 1. All clients should be placed in a well-ventilated rooms (i.e., with open windows and an open door).
- 2. Movement of the clients shall be limited, however clients may be allowed time outside of the rooms to stretch at designated areas within the premises with timed intervals while maintaining 1 meter social distance. (E.g release clients in groups of 10)
- 3. Accommodation premises are required to submit to the MOH Quarantine Team Leaders the details of all clients booked and the related hotel room nos.(Form attached)

Cleaning of Rooms

- 1. During Stretching time/periods, the management shall organize cleaning of the rooms, following the infection prevention protocols as guided by MoH response team.
- 2. Prior to occupancy the rooms should be cleaned daily with disinfectant with bleach disinfectant 1:6 dilution
- 3. The management shall ensure all the laundry is disinfected and washed accordingly



Food Service

- 1. Guest shall have their meals in a well ventilated dining area. The sitting arrangement should maintain the 1 meter spacing requirement.
- 2. After meal service the used utensils shall be deposited in bleach solution.
- 3. The utensils shall be washed using bleach.

Health Prevention and promotion

- 1. Hand hygiene should also be performed before eating, after using the toilet and whenever hands look dirty. If hands are not visibly dirty, an alcohol-based hand rub can be used. For visibly dirty hands, use soap and water.
- 2. When washing hands with soap and water, it is preferable to use disposable paper towels to dry hands. If these are not available, use clean cloth towels (single user).
- 3. To contain respiratory secretions, the mouth and nose should be covered with a disposable paper tissue when coughing or sneezing. Materials used to cover the mouth and nose should be discarded or cleaned appropriately after use (e.g., wash handkerchiefs using regular soap or detergent and water).

Accommodation Staff and Health Workers

- 1. Health workers and Accommodation Staff interacting closely with the client should wear a tightly fitted N95 mask that covers their mouth and nose
- 2. Remove the mask using the appropriate technique that is, do not touch the front, but instead until it. Discard the mask immediately after use and perform hand hygiene.
- 3. Avoid direct contact with body fluids, particularly oral or respiratory secretions, and stool. Use disposable gloves and a mask when providing oral or respiratory care and when handling stool, urine and other waste. Perform hand hygiene before and after removing gloves and the mask.
- 4. Accommodation staff should ensure dedicated linen and eating utensils for the patient; these items should be cleaned with soap and hot water after use and may be re-used instead of being discarded.



5. Heavy duty gloves and protective clothing (e.g., plastic aprons) should be used when cleaning surfaces or handling clothing or linen soiled with body fluids. Depending on the context, either heavy duty or single-use gloves can be used. After use, heavy duty gloves should be cleaned with soap and water and decontaminated with 0.5% chlorine bleach solution. Perform hand hygiene before and after removing gloves.

Medical Screening and Testing

- 1. The medical response team shall conduct a daily symptomatic screen, using the phone service
- 2. From the 5th day, lab screening shall be done. A screening will be shared with the Ministry of Health team leads.



Mandatory Government designated Areas and Hotels

General Information;

In line with the Public Health Act, the Cabinet Secretary in the Ministry of Health has instituted Mandatory Quarantine measures for all incoming international passengers. This document provides the protocols that will be utilised for the management of Quarantine in the Mandatory Government designated Areas and Hotels.

Accommodation

- 6. All clients should be placed in a well-ventilated single room (i.e., with open windows and an open door).
- 7. Movement of the clients shall be limited, however clients may be allowed time outside of their rooms to stretch at designated areas in the hotel and coordinated time intervals while maintaining 1 meter social distance. (E.g release clients in groups of 10)
- 8. We discourage sharing of rooms. Couples are discouraged from sharing rooms, however consideration will be made for parents with children who require guardianship.
- 9. Hotels are required to submit to the MOH Quarantine Team Leaders the details of all clients booked and the related hotel room nos.(Form attached)

Cleaning of Rooms

- 4. Cleaning will be the responsibility of the room occupant. The hotel shall facilitate cleaning materials(bucket & mop with bleach disinfectant 1:6 dilution)
- 5. The room occupant shall request and change of bed linen themselves as need arises. The hotel shall provide fresh linen and buckets with bleach and water
- 6. The Hotel shall launder the disinfected laundry and wash accordingly



Food Service

- 4. Guest shall have their meals delivered outside their doors.
- 5. After meal service the used utensils shall be washed with soap and water then deposited in bleach solution provided by the hotel.
- 6. The utensils shall be washed using bleach.

Health Prevention and promotion

- 4. Hand hygiene should also be performed before eating, after using the toilet and whenever hands look dirty. If hands are not visibly dirty, an alcohol-based hand rub can be used. For visibly dirty hands, use soap and water.
- 5. When washing hands with soap and water, it is preferable to use disposable paper towels to dry hands. If these are not available, use clean cloth towels (single user).
- 6. To contain respiratory secretions, the mouth and nose should be covered with a disposable paper tissue when coughing or sneezing. Materials used to cover the mouth and nose should be discarded or cleaned appropriately after use (e.g., wash handkerchiefs using regular soap or detergent and water).

Hotel Staff and Health Workers

- 4. Health workers and Hotel Staff interacting closely with the client should wear a tightly fitted N95 mask that covers their mouth and nose
- 5. Remove the mask using the appropriate technique that is, do not touch the front, but instead until it. Discard the mask immediately after use and perform hand hygiene.
- 6. Avoid direct contact with body fluids, particularly oral or respiratory secretions, and stool. Use disposable gloves and a mask when providing oral or respiratory care and when handling stool, urine and other waste. Perform hand hygiene before and after removing gloves and the mask.
- 10. Hotel staff should ensure dedicated linen and eating utensils for the patient; these items should be cleaned with soap and hot water after use and may be re-used instead of being discarded.



11. Heavy duty gloves and protective clothing (e.g., plastic aprons) should be used when cleaning surfaces or handling clothing or linen soiled with body fluids. Depending on the context, either heavy duty or single-use gloves can be used. After use, heavy duty gloves should be cleaned with soap and water and decontaminated with 0.5% chlorine bleach solution. Perform hand hygiene before and after removing gloves.

Medical Screening and Testing

- 1. The medical response team shall conduct a daily symptomatic screen, using the hotel phone service or mobile number
- 2. From the 5th day, lab screening shall be done. A screening will be shared with the Ministry of Health team leads.



Testing of COVID 19 among persons on quarantine

As observed in Wuhan, the mean incubation period for COVID-19 was 5.2 days for the majority of the cases. The Ministry of health has therefore planned for testing from Day 5 of quarantine

- 1. A team of laboratory experts from the National Influenza Centre (NIC) will do the testing.
- 2. The collection of a sample will take 15 minutes per individual
- 3. Before testing the procedure will be explained to the persons in quarantine
- 4. The laboratory person will swab the nose and the mouth to collect the sample for testing.
- 5. Results will be delivered within 24 hours after sample collection
- 6. Positive results will be communicated to the suspected case and transferred to the isolation facility for treatment.
- 7. Negative results will be relayed to their owners.
- 8. Following the first negative test, the persons will be released into self quarantine as per the self quarantine protocols.
- 9. All in self quarantine will be expected to continue daily monitoring of COVID 19 symptoms: Fever, cough, shortness of breath
- 10. Those found to be negative will continue self quarantine till 14 days after discharge from the mandatory quarantine sites are over.
- 11. All people in quarantine should have a repeat test on day 10 of quarantine.
- 12. Anyone who develops symptoms during the period of quarantine should be tested for COVID 19.
- 13. Close contacts of anyone found to have positive results of COVID 19 will go into self quarantine.



Person on quarantine

- 1. The person will avail himself or herself and cooperate with the laboratory team for testing.
- 2. The person will be expected to observe cough hygiene

Hotel Administration

- 1. The hotel administration is expected to provide a room for sample collection for the laboratory team.
- 2. The room provided and services in the room should be cleaned using jik solution to ensure the area is disinfected prior to testing.
- 3. After the testing, the room should be closed and a team of MOH will disinfect the room before further use

Quarantine teams from MoH

- 1. The health worker teams should prepare the hotel staff and the the people on quarantine for testing
- 2. The teams will be expected to support the laboratory team collecting the samples

The Laboratory Team

The team will:

- 1. Introduce themselves to the hotel staff and the quarantine site health teams on arrival at site.
- 2. Explain the procedure to the persons before collecting the samples
- 3. Clean the sample collecting room prior to departure
- 4. Carry any waste generated during sample collection.





Guidance for management of those with co-morbidities, advanced age or pregnancy

Over 70 individuals in the quarantine facilities have been identified to have various comorbidities including hypertension, diabetes, cancer, recent surgery, some who are pregnant while others are of advanced age. It is noted that supporting care of these disease conditions is difficult in mandatory quarantine situations, and may lead to psychological strain and stretch available resources. The following measures are therefore recommended for the management of individuals with highlighted co-morbidities and conditions in quarantine:

- 1. A list of all individuals with co-morbidities and the type of co-morbidities and chronic medication needs as well as pregnancy needs should be developed.
- 2. Patients with co-morbidities, pregnant and those above the age of 60:
 - a. Should have SARS-COV 2 RT PCR testing and if negative allowed home with strict instructions to continue on self quarantine as per previous self-quarantine guidelines. This should be monitored
 - b. The home situation should be assessed to ensure that self guarantine is feasible.
 - c. Anyone who breaks self quarantine should be taken back to the government quarantine facility.
 - d. The self quarantine form should be signed before release of the individual.
 - e. At home the individuals should continue to monitor and record their temperature twice daily and promptly report any fever or other symptoms. This means that individuals must buy thermometers to monitor themselves at home.
 - f. Mandatory quarantine should not be waived for any other non-medical reasons.



Special considerations for rapid response teams and teams in quarantine

Setting	Target personnel or patients	Activity	Type of PPE or procedure		
Anywhere	Rapid response team investigators.	Interview suspected or confirmed COVID- 19 patients or	No PPE if done remotely (e.g., by telephone or video conference).		
		their contacts.	Remote interview is the preferred method.		
Anywhere	here Rapid response In-person interview of suspected or confirmed COVID-		Surgical mask Maintain spatial distance of at least 1 m.		
		19 patients without direct contact.			
Anywhere	Rapid response team investigators.	In-person interview with asymptomatic contacts of COVID-19 patients.	Maintain spatial distance of at least 1 m. No PPE required The interview should be performed outside the house or outdoors. If it is necessary to enter the household environment, use a thermal imaging camera to confirm that the individual does not have a fever, maintain spatial distance of at least 1 m and do not touch anything in the household environment.		




Quarantine Reporting Tool For Travellers Needing Medical Attention

Serial No		
Name		
Age	_	
Sex		
Facility		
Room No		
Phone		
Symptoms		
Time	 	
Date f Reporting		
Co morbidities	 _	
Status		



Referral Protocol



Rapid Response/ medical response team - will advise on:

- 1. Testing if the person has COVID 19
- 2. Examination of medical conditions
- 3. Collection of patient to treatment centre
- 4. Provision of medicines as required.





