

Republic of the Philippines Department of Health **OFFICE OF THE SECRETARY**

March 30, 2020

DEPARTMENT MEMORANDUM No. 2020 - **0062 - A**

TO: <u>ALL UNDERSECRETARIES AND ASSISTANT SECRETARIES OF</u> <u>HEALTH; MINISTER OF HEALTH – BANGSAMORO</u> <u>AUTONOMOUS REGION IN MUSLIM MINDANAO (MOH-BARMM);</u> <u>DIRECTORS OF BUREAUS, SERVICES, AND CENTERS FOR</u> <u>HEALTH (CHDs); EXECUTIVE DIRECTORS OF SPECIALTY</u> <u>HOSPITALS; CHIEF OF MEDICAL CENTERS, HOSPITALS, AND</u> <u>SANITARIA; AND OTHERS CONCERNED</u>

SUBJECT: <u>Amendment to the Department Memorandum No. 2020-0062 dated</u> <u>February 4, 2020 entitled "Guidelines on the Standards of Airborne</u> <u>Infection Isolation Room and Conversion of Private Rooms and/or Wards</u> <u>into Temporary Isolation Rooms for the Management of Patients Under</u> <u>Investigation (PUI) for 2019 Novel Coronavirus (nCoV)"</u>

The Department Memorandum No. 2020-0062 "Guidelines on the Standards of Airborne Infection Isolation Room and Conversion of Private Rooms and/or Wards into Temporary Isolation Rooms for the Management of Patients Under Investigation (PUI) for 2019 Novel Coronavirus (nCoV)" is hereby amended to reflect the following changes:

- 1. Per Administrative Order 2020-0013 "Revised Administrative Order No. 2020-0012 "Guidelines for the Inclusion of the Coronavirus Disease 2019 (COVID-19) in the List of Notifiable Diseases for Mandatory Reporting to the Department of Health" dated March 17, 2020", PUIs shall be reclassified as suspect and probable cases.
- 2. Suspect and probable COVID-19 cases shall be placed separately in a single-patient room with the door closed at all times.
- 3. Cohorting of confirmed COVID-19 patients in a converted ward may be done provided that standards and principles of cohorting are followed.
- 4. Precautions shall be undertaken when performing aerosol-generating procedures (e.g. cardiopulmonary resuscitation, tracheal intubation, tracheotomy). The procedure shall be performed in an adequately ventilated room with airflow of at least 160 L/s per patient or in an Airborne Infection Isolation Room (AIIR). Appropriate personal protective equipment shall be used.

As thus amended, all other provisions of Department Memorandum No. 2020-0062 dated February 4, 2020 shall remain in effect.

r. DUQUE III, MD, MSc ISCO Secretary of Health